

UL 認證一覽表 (檔案編號.E84081)

Mtl Dsg	Coat Type		ANSI Type	TI(°C)
	BC	OC		
AIEIW-200	Polyester-imide	Polyamide-imide	MW35C# or MW73C#	200
			MW35A or MW73A	220
DD-F	Polyurethane	—	MW79C	155
DD	Polyurethane	—	MW75C	130
DD(AL)##	Polyurethane	—	—	155
DD-NYU	Polyurethane	Polyamide	MW28C	130
DDF-NY	Polyurethane	Polyamide	MW80C	155
SS-F	Modified Polyester	—	MW5C#	155
SSU	Polyester	—	—	130
SS(AL)##	Polyester	—	—	130
PEWH	Polyester-imide	—	MW30C#	180
PALW	Polyester-imide	Polyamide-imide/ polyethelyene	MW35C# or MW 73C#	200
			MW35A or MW73A	220
AIW-100	Polyamide-imide	—	—	200
SFNPL	Polyester (amide)(imide)	Polyamide	MW76C	180
AIEIW-300	Polyester	Polyamide-imide	MW35C, MW73C	200
SS-Fu	Polyester	Polyamide-imide	MW35C	200
SSF-H	Polyester	Polyamide-imide		180#
PALWu	Polyester	Polyamide-imide	MW35C, MW73C	200
AIW-100F	Polyamide-imide	—	—	200
SS-NY(U)	Polyester (amide)(imide)	Polyamide	MW76C	180
AIW-220	Polyamide-imide	—	MW81C	220
AIW-220F	Polyamide-imide	—	—	220
PIVW	Polyester-imide	Polyamide-imide	MW37C	220
			MW35#, MW73#	200